

Suicide

If you're struggling to cope with your mental health or difficult life circumstances, don't keep it to yourself. Talk to someone about your problems or worries. This is the first step to getting help and dealing with them and feeling less overwhelmed.

Specialist support organisations can give you advice about your mental and emotional wellbeing. They offer services such as:

- listening to you without judgement
- signposting you to support services
- providing therapy if you are diagnosed mental health condition

Thoughts of suicide

Many people have thoughts of suicide at some point in their life, around 1 in 5 of us. Thinking about suicide does not mean that someone will definitely end their life. Most people who have suicidal thoughts don't kill themselves because they paused, looked for support and didn't act on that impulsive or overwhelming emotion.

Choose someone you trust to talk with about your feelings. Someone who has time and will listen. This may be a good friend, family member, work mate or college lecturer. Sharing helps you press the pause button. There may be people who can offer practical support and there may be others who can give you emotional support, reassurance and help you think things through.

Helplines to call if you are experiencing suicidal thoughts

<u>Samaritans</u> offer confidential listening either on their 24 hour telephone helpline or face to face without an appointment. Drop in support is available 9am to 9pm.

<u>CALM helpline</u> is a free and confidential helpline and web chat service for men who need to talk about their mental health, who are down or have hit a wall for any reason. They also offer information and support. Open 5pm to 12am every day of the year

<u>Papyrus HOPELINEUK</u> if you're under 35 and struggling with suicidal feelings, or concerned about a young person who might be struggling, you can call them weekdays 10am to 10pm. Weekends 2pm to 10pm and bank holidays 2pm to 10pm

<u>SANEline</u> is a national confidential out of hours telephone helpline that offers information, crisis care and emotional support to anybody affected by mental health problems. Interpreters are

available to translate into over 100 languages.

<u>Shout</u> is a 24 hour, 7 days a week text service. It is free on all major mobile networks, for anyone in crisis anytime, anywhere. It's a place to go if you're struggling to cope and you need immediate help.

If U Care Share if you are worried about something you can talk to trained volunteers using their free, confidential 24 hour, 7 days a week text service. Text IUCS to 85258

How to help if you think someone feels suicidal

Many people who are feeling suicidal don't talk directly about it. They're more likely to say they feel hopeless, like a burden on others or make constant negative remarks. They may even say goodbye in way that makes you uneasy.

It may be nerve-wracking to talk to someone about their thoughts and feelings. By listening and asking questions you may be able to help or direct them to a source of help at a critical time.

Experts recommend that you ask directly whether the person is feeling suicidal. This avoids confusion and clears the air for practical steps to be taken. Research shows that by asking the direct question, you do not put the thought of suicide in someone's head.

Signs of suicidal thoughts

Look at the behaviour of the person: Do they have mood swings? Do they seem <u>depressed</u> or <u>anxious</u>? Have they started clearing out possessions, making a will, self harming, losing interest in things they had enjoyed? Do they seem isolated and caught up in their own thoughts?

Have they had any changes in their life? This could include, <u>bereavement</u>, <u>a relationship</u> <u>breakdown</u>, health problems, <u>money worries</u>, <u>addiction</u>, chronic pain or <u>mental health</u> <u>difficulties</u>. Have they been victims of <u>abuse</u>, <u>coercion or neglect</u>?

How to start a conversation with someone who may be having suicidal thoughts

- make time and space to listen
- listen but don't judge or belittle
- ask questions. Be direct if you suspect suicidal thoughts
- keep them safe
- encourage them to call a Helpline
- don't feel you should know the answers or solutions

Crisis situation

In a <u>Mental Health crisis</u> such as, an overdose, self harm or if you cannot keep the person safe, call <u>999.</u> Explain the situation and stay with them until an ambulance arrives.

If the person goes missing, call 999 and ask for the Police.

<u>Crisis Resolution and Home Treatment Team Newcastle and Gateshead (CNTW)</u> are available for urgent help, 24 hours a day. Call 18001 111

If the crisis passes, encourage the person to $\underline{\text{contact their GP urgently}}$, NHS $\underline{\text{111}}$ or one of the Helplines listed above.

Mental health support

Local Mental Health support services and groups are available if you need ongoing support.

Dealing with grief after suspected suicide

Death by suspected suicide can be very distressing and shocking. It can affect up a wide group people who knew the person.

<u>If U Care Share</u> provide practical and emotional support to people impacted by suspected suicide. Help and support is available now if you need it. You do not have to struggle with difficult feelings alone.

<u>Survivors of Bereavement by Suicide</u> exist to break the isolation experienced by people who are bereaved by suicide. They offer a range of support services such as: support groups, <u>a</u> <u>booklet</u>, poetry and prose.

InformationNOW has articles on: Bereavement and Grief; Support Groups

Self harm

If you are hurting yourself or self harming, help is available. If you're worried about someone who's self harming, you can also get help and support.

Read more on InformationNOW about self harm.

Worries that may be affecting you

Take care of other worries that you have: they drain you of your energy and wellbeing. Read more on InformationNOW to find local support to help with:

- money or debt worries
- addictions,
- looking for work,
- · homelessness,
- family or relationship problems
- being a carer

Last updated: October 20, 2023

Useful Organisations

If U Care Share Foundation

Email: share@ifucareshare.co.uk

Website: https://www.ifucareshare.co.uk

Telephone: 0191 387 5661

Address: 27 The Close East, DH2 2EY

Samaritans

Email: jo@samaritans.org

Website: http://www.samaritans.org/branches/samaritans-tyneside

Telephone: 0191 232 7272

Address: Samaritan House, NE2 1QQ

Papyrus

Email: pat@papyrus-uk.org

Website: https://papyrus-uk.org/

Telephone: 0800 068 4141

Address: Lineva House, WA5 1AD

Shout

Email: info@giveusashout.org

Website: https://www.giveusashout.org/

Telephone: Text 85258

Campaign Against Living Miserably (CALM)

Email: info@thecalmzone.net

Website: www.thecalmzone.net

Telephone: 0203 697 9331

Address: Po Box 68766, SE1P 4JZ

Northumbria Police

Website: www.northumbria.police.uk

Telephone: 101

Children and Young People's service (CYPS) – Cumbria, Northumberland, Tyne and Wear NHS Foundation Trust (CNTW)

Email: NGCYPS@cntw.nhs.uk

Website: https://www.cntw.nhs.uk/services/children-young-peoples-service-newcastle-gateshead/

Telephone: 0191 246 6913

Address: Benton House, NE2 1QE

Telephone: 0191 246 6913

Young Minds

Email: ymenquiries@youngminds.org.uk

Website: https://www.youngminds.org.uk/

Telephone: 0191 246 6913

Calm Harm App

Email: calmharm@stem4.org.uk

Website: https://calmharm.co.uk/

Telephone: 0191 246 6913

distrACT app

Website: https://www.nhs.uk/apps-library/distract/

Telephone: 0191 246 6913

Survivors of Bereavement by Suicide

Email: email.support@uksobs.org

Website: https://uksobs.org/

Telephone: 0300 111 5065

Address: 14 to 16 New Lawn Road, DE7 5HE

Related Articles

Mental Health

Mental health emergency or crisis services

Support for veterans, their families and carers

Making decisions and your mental capacity

Bereavement and grief

Support Groups

Dealing with debt

Domestic abuse

Adult abuse

Support for addictions and harmful behaviours

Family and relationship problems

Depression

Anxiety and stress

Self harm